

LABORATORY REPORT

DIATHERIX Laboratories
 601 Genome Way - Suite 4208 Huntsville, AL 35806
 Lab: 256-327-0699 - Fax: 256-327-0984 - Toll Free: 866-979-4242
 Director: Frank A. Honkanen,MD - CLIA #: 01-D1085737

Patient Name:	DOB:	Age:	Gender:	Race:
Patient ID:		Ordering Physician:	Client Specimen ID:	
Client Name:		Client Code:	Physician Phone:	
Client Address:				
Date/Time Collected:		Date Received:	Date Reported:	
Accession ID:		Specimen Type:	Specimen Source:	

HUMAN PAPILLOMAVIRUS

	DETECTED	NOT DETECTED
High Risk Types		
HPV Type 16		
HPV Type 18		
HPV Type 26		
HPV Type 31		
HPV Type 33		
HPV Type 35		
HPV Type 39		
HPV Type 45		
HPV Type 51		
HPV Type 52		
HPV Type 53		
HPV Type 56		
HPV Type 58		
HPV Type 59		
HPV Type 66		
HPV Type 67		
HPV Type 68		
HPV Type 69		
HPV Type 70		
HPV Type 73		
HPV Type 82/IS39		
Low Risk Types		
HPV Type 6		
HPV Type 11		
HPV Type 42		
HPV Type 44		

Comments: none