

LABORATORY REPORT

DIATHERIX Laboratories
 601 Genome Way - Suite 4208 Huntsville, AL 35806
 Lab: 256-327-0699 - Fax: 256-327-0984 - Toll Free: 866-979-4242
 Director: Frank A. Honkanen, MD - CLIA #: 01-D1085737

Patient Name:	DOB:	Age:	Gender:	Race:
Patient ID:		Ordering Physician:	Client Specimen ID:	
Client Name:		Client Code:	Physician Phone:	
Client Address:				
Date/Time Collected:		Date Received:	Date Reported:	
Accession ID:		Specimen Type:	Specimen Source:	

STAPHYLOCOCCUS DIFFERENTIATION PANEL

	DETECTED	NOT DETECTED
MRSA - Methicillin resistant Staphylococcus aureus		
Staphylococcus aureus		
Panton-Valentine leukocidin (PVL) gene		
Methicillin resistant coagulase negative Staphylococcus		
Coagulase negative Staphylococcus		
Staphylococcus epidermidis		
Antibiotic resistances:		
Aminoglycosides resistance		
Cephalosporin resistance		
Erythromycin/Clindamycin resistance		
Methicillin resistance		
Tetracycline resistance		
Vancomycin resistance		

Comments: none